

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("20050071345").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/07/25 10:13
S2	4	((("6529909") or ("6615204") or ("6728694") or ("6728726"))).PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/07/25 11:09
S3	85	attribute with table with object same repository	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/25 11:11
S4	2	attribute with table with object same custom same repository	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/25 11:28
S5	3	custom with attribute with table same repository	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/25 11:30
S6	86	custom with attribute with table	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/25 11:30
S7	31	custom with attribute with table and repository	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/25 14:51
S8	0	partition adj attribute same object same extensibility	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/25 16:04
S9	7	partition adj attribute same object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/25 14:53
S10	14	partition\$3 adj attribute same object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/25 14:56

EAST Search History

S11	2	partition\$3 adj attribute same object and extensibil\$	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/25 15:27
S12	35	user adj data with map same object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/25 16:03
S13	1	extend adj existing adj object adj type	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/25 16:04
S14	18	object adj extensibil\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/25 16:06
S15	2349	object same extensibil\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/25 16:36
S16	947	object with extensibil\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/25 16:36
S17	18	object with extensibil\$3 same custom	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/25 16:36
S18	37	attribute adj table and custom adj attribute and object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 13:39
S19	57	attribute adj table and (custom or user adj defined) adj attribute and object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 13:40
S20	12	attribute adj table same (custom or user adj defined) adj attribute and object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 13:50

EAST Search History

S21	1021	object adj type with attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 13:53
S22	114	object adj type with attribute with table	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 13:53
S23	2	custom with object adj type with attribute with table	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 13:54
S24	3	(user adj defined or custom) with object adj type with attribute with table	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 13:55
S25	25	(user adj defined or custom) with object adj type with attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 14:03
S26	120	store with (user adj defined or custom) with ((object adj type) or attribute)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 14:03
S27	120	store with ((user adj defined) or custom) with ((object adj type) or attribute)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 14:05
S28	1	store with ((user adj defined) or custom) with ((object adj type) with attribute)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 14:04
S29	33	store with ((user adj defined) or custom) adj2 ((object adj type) or attribute)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 14:12
S30	222	extensible adj object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 14:13

EAST Search History

S31	14	extensible adj object same attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 14:17
S32	2	separate adj table with (custom or (user adj defined) adj (attribute or field or object))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 14:19
S33	2745	table with (custom or (user adj defined) adj (attribute or field or object))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 14:20
S34	17	table with (custom or (user adj defined) adj (attribute or field or object)) with data adj type	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 14:25
S35	10	copy adj (custom\$4 or (user adj defined)) with (attribute or object)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 14:28
S36	0	copy adj (custom or (user adj defined)) with (attribute or object adj type)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 14:31
S37	17	copy with (custom or (user adj defined)) with (attribute or object adj type)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 14:36
S38	274	(custom or (user adj defined)) with store with table	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 14:42
S39	323	(custom or (user adj defined)) with store with (table or repository)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 16:02
S40	14	(custom or (user adj defined)) with attribute with store with (table or repository)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 14:46

EAST Search History

S41	4	"custom attribute table"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 14:47
S42	2113755	custom adj(column or attribute or field) with custom (table or class)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 15:47
S43	4	custom adj(column or attribute or field) with custom adj (table or class)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 16:13
S44	481	custom with (column or attribute or field) with custom with (table or class)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 16:15
S45	6	separate with (custom or (user adj defined)) with store with (table or repository)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 16:07
S46	1	configuration adj table with custom with attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 16:11
S47	0	configuration adj table with custom adj data	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 16:11
S48	4002	configuration adj table	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 16:11
S49	6	configuration adj table with custom	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 16:11
S50	4	custom adj(column or attribute or field) same custom adj (table or class)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 16:13

EAST Search History

S51	309	custom with (column or attribute or field) with custom with (table or class) with table	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 16:17
S52	20	custom with (column or attribute or field) with custom with (table or class) with table same store	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 16:28
S53	46	table with "same data type"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 16:21
S54	20	custom with (column or attribute or field) with custom with (table or class) with extend	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 17:07
S55	4724	(object or table or database) near extension	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 17:07
S56	7115	(object or table or database) near extensi\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 17:10
S57	91	(object or table or database) near extensi\$3 with attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 17:13
S58	16	(object or table or database) near extensi\$3 with custom	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/26 17:13
S59	1	("20050071345").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/07/27 11:45
S60	31	upgrad\$3 same copy with table	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/27 13:35

EAST Search History

S61	0	upgrad\$3 same copy with table adj data	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/27 13:37
S62	1060	copy with table near2 data	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/27 13:37
S63	2	copy with table near2 data same upgrad\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/27 13:47
S64	63	copy with table near2 data same (upgrad\$3 or version)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/27 13:38
S65	2	(copy or replica\$2) with table near2 data same upgrad\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/27 13:49
S66	3	(copy or replica\$2) same table near2 data same upgrad\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/27 17:00
S67	1023	(copy or replica\$2) same table near2 database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/27 17:01
S68	219	(copy or replica\$2) same table near2 database and upgrad\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/27 17:02
S69	106	(copy or replica\$2) with table near2 database and upgrad\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/27 17:03
S70	53	(copy or replica\$2) with table near2 database and upgrad\$3 with (application or program)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/07/27 17:03

EAST Search History

S71	1	("20050071345").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/01/22 18:19
S72	4	((("6529909") or ("6615204") or ("6728694") or ("6728726")).PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/01/22 18:19
S73	2	attribute with table with object same custom same repository	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S74	97	attribute with table with object same repository	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S75	3	custom with attribute with table same repository	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S76	96	custom with attribute with table	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S77	35	custom with attribute with table and repository	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S78	0	partition adj attribute same object same extensibility	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S79	8	partition adj attribute same object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S80	16	partition\$3 adj attribute same object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19

EAST Search History

S81	3	partition\$3 adj attribute same object and extensib\$	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S82	39	user adj data with map same object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S83	1	extend adj existing adj object adj type	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S84	21	object adj extensibil\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S85	996	object with extensibil\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S86	22	object with extensibil\$3 same custom	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S87	2444	object same extensibil\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S88	40	attribute adj table and custom adj attribute and object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S89	62	attribute adj table and (custom or user adj defined) adj attribute and object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S90	14	attribute adj table same (custom or user adj defined) adj attribute and object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19

EAST Search History

S91	1129	object adj type with attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S92	137	object adj type with attribute with table	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S93	2	custom with object adj type with attribute with table	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S94	3	(user adj defined or custom) with object adj type with attribute with table	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S95	28	(user adj defined or custom) with object adj type with attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S96	147	store with (user adj defined or custom) with ((object adj type) or attribute)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S97	147	store with ((user adj defined) or custom) with ((object adj type) or attribute)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S98	1	store with ((user adj defined) or custom) with ((object adj type) with attribute)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S99	48	store with ((user adj defined) or custom) adj2 ((object adj type) or attribute)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S100	238	extensible adj object	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19

EAST Search History

S10 1	16	extensible adj object same attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S10 2	2	separate adj table with (custom or (user adj defined) adj (attribute or field or object))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S10 3	3070	table with (custom or (user adj defined) adj (attribute or field or object))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S10 4	19	table with (custom or (user adj defined) adj (attribute or field or object)) with data adj type	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S10 5	10	copy adj (custom\$4 or (user adj defined)) with (attribute or object)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S10 6	0	copy adj (custom or (user adj defined)) with (attribute or object adj type)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S10 7	24	copy with (custom or (user adj defined)) with (attribute or object adj type)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S10 8	313	(custom or (user adj defined)) with store with table	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S10 9	376	(custom or (user adj defined)) with store with (table or repository)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S11 0	16	(custom or (user adj defined)) with attribute with store with (table or repository)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19

EAST Search History

S11 1	4	"custom attribute table"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S11 2	2207230	custom adj(column or attribute or field) with custom (table or class)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S11 3	5	custom adj(column or attribute or field) with custom adj (table or class)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S11 4	561	custom with (column or attribute or field) with custom with (table or class)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S11 5	7	separate with (custom or (user adj defined)) with store with (table or repository)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S11 6	1	configuration adj table with custom with attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S11 7	0	configuration adj table with custom adj data	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S11 8	4350	configuration adj table	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S11 9	6	configuration adj table with custom	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S12 0	7	custom adj(column or attribute or field) same custom adj (table or class)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19

EAST Search History

S12 1	355	custom with (column or attribute or field) with custom with (table or class) with table	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S12 2	24	custom with (column or attribute or field) with custom with (table or class) with table same store	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S12 3	50	table with "same data type"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S12 4	24	custom with (column or attribute or field) with custom with (table or class) with extend	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S12 5	4907	(object or table or database) near extension	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S12 6	7425	(object or table or database) near extensi\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S12 7	95	(object or table or database) near extensi\$3 with attribute	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S12 8	18	(object or table or database) near extensi\$3 with custom	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S12 9	1	("20050071345").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/01/22 18:19
S13 0	35	upgrad\$3 same copy with table	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19

EAST Search History

S13 1	0	upgrad\$3 same copy with table adj data	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S13 2	1147	copy with table near2 data	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S13 3	2	copy with table near2 data same upgrad\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S13 4	65	copy with table near2 data same (upgrad\$3 or version)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S13 5	2	(copy or replica\$2) with table near2 data same upgrad\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S13 6	3	(copy or replica\$2) same table near2 data same upgrad\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S13 7	1133	(copy or replica\$2) same table near2 database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S13 8	241	(copy or replica\$2) same table near2 database and upgrad\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S13 9	115	(copy or replica\$2) with table near2 database and upgrad\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19
S14 0	54	(copy or replica\$2) with table near2 database and upgrad\$3 with (application or program)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/22 18:19

EAST Search History

S14 1	1	upgrad\$3 same (retain\$3 storing saving) with ((user adj defined) custom) with (field attribute)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/23 10:05
S14 2	202	(retain\$3 storing saving) with ((user adj defined) custom) with (field attribute)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/23 10:05
S14 3	91	(upgrad\$3 instal\$4) and (retain\$3 storing saving) with ((user adj defined) custom) with (field attribute)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/23 10:32
S14 4	1	("7051319").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/01/23 10:34
S14 5	1	("6367077").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/01/23 11:06
S14 6	1	("5845128").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/01/23 11:50
S14 7	0	chang\$3 with structure with database same cutom\$4	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/23 11:50
S14 8	75	chang\$3 with structure with database same custom\$4	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/23 11:51
S14 9	84	chang\$3 with structure with database same (custom\$4 (user adj defined))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/23 14:41
S15 0	11	chang\$3 with structure with database same ((custom\$4 (user adj defined)) with (attribute field))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2007/01/23 12:18